


BASO PILOTS ATMOSPHERIC

MODEL: 3275


Revision: 0

BULLETIN
3275



22 AP SERIES



23 AP SERIES



24 AP SERIES



Baso Pilots type AP are used on atmospheric burners as shown in Figures 1, 2, and 3 and are available for types of gases shown in Table 1.

Models include AP Baso Pilot with pet cock and mounting bracket, APP with thermocouple and APS with spark electrode. Pilots are to be used with Baso valves and controls.

TABLE 1

SUFFIX	ORIFICE DIA
NAT	0.023"
MFG	0.032"
LP	0.012"

CAUTION: Operation of combustion equipment can be hazardous resulting in bodily injury or equipment damage. Each burner should be supervised by a combustion safeguard and only qualified personnel should install, make system adjustments and perform any required service.




ORDAN THERMAL PRODUCTS LTD
Combustion Equipment & Controls for Industry
21 Amber St # 9, Markham Ontario Canada L3R 4Z3
Tel: (905) 475-9292 Fax: (905) 475-3286
www.ordanthermal.com

NOTICE: Pyronics practices a policy of continuous improvement in the design of its products. It reserves the right to change the specifications at any time without prior notice.

BASO PILOTS


22 AP DIMENSIONS



FOR 22AP WITH THERMOCOUPLE AND SPARK (22PP-S) CONSULT FACTORY

BASO PILOTS

23 AP DIMENSIONS



FOR 23AP WITH THERMOCOUPLE AND SPARK (23PP-S) CONSULT FACTORY

CAUTION: Operation of combustion equipment can be hazardous resulting in bodily injury or equipment damage. Each burner should be supervised by a combustion safeguard and only qualified personnel should install, make system adjustments and perform any required service.




ORDAN THERMAL PRODUCTS LTD
 Combustion Equipment & Controls for Industry
 21 Amber St # 9, Markham Ontario Canada L3R 4Z3
 Tel: (905) 475-9292 Fax: (905) 475-3286
www.ordanthermal.com

NOTICE: Pyronics practices a policy of continuous improvement in the design of its products. It reserves the right to change the specifications at any time without prior notice.

BASO PILOTS

24 AP DIMENSIONS



FOR 24AP WITH THERMOCOUPLE AND SPARK (24PP-S) CONSULT FACTORY

ORDERING INFORMATION

1. Specify model No. and quantity.
2. Specify orifice (NAT, MFG, LP)
3. Shipping instructions.