

# CHAIN GUARD™ 220

## EXTREME HIGH TEMPERATURE SYNTHETIC OVEN CHAIN LUBRICANT MATERIAL SAFETY DATA SHEET

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: CHAIN GUARD™ 220  
Synonym(s): Polyol Ester and Additives

Supplied by: Ordan Thermal Products Ltd.  
21 Amber Street Unit 9  
Markham, Ontario L3R 4Z3  
Tel: 905-475-9292  
Fax: 905-475-3286

For Emergency Information contact: Chemtrec - 1-800-424-9300  
For Non-Emergency Information contact: 1-800-521-9891

Formula: NA

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients are listed if they comprise  $\geq 1.0\%$  by weight. "Special Hazardous Substances or Carcinogens" are listed if they comprise  $\geq 0.1\%$  by weight.

#### Non-hazardous components

Chemical Name	CAS	Weight %
Polyol Ester and Additives	Proprietary	100



A division of:  
**ORDAN THERMAL PRODUCTS LTD.**  
Oven, Proofer & Cooler Chain Synthetic Lubricants  
21 Amber St # 9, Markham, Ontario, L3R 4Z3 Canada  
Tel: (905) 475-9292 Fax: (905) 475-3286  
[www.OrdanThermal.com](http://www.OrdanThermal.com)

The information contained herein is believed to be accurate but all suggestions are made without guarantee because the conditions of actual use are beyond our control. Ordan Thermal disclaims all liability incurred in connection with the use of this data or suggestions.

### 3. HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW

No unusual safety, fire, or spill hazards.

#### Effects From Acute Exposure

Ingestion:	None known
Skin contact:	May cause mild skin irritation.
Inhalation:	None known.
Eye contact:	May cause mild eye irritation.
Aggravated Medical Conditions:	None known.
Subchronic (Target Organ) Effects:	None known.
Chronic effects / Carcinogenicity:	Not listed in IARC, NTP or 29CFR.
Products / Ingredients: The ingredients that are carcinogens are listed here, with specific information about their carcinogenicity.	None
Principle Routes of Exposure:	Oral. Dermal - skin. Eyes.
Other:	None known.

### 4. FIRST AID MEASURES

Ingestion:	If swallowed, observe victim for 24 hours; seek medical attention if indicated. If vomiting occurs, keep head lower than hips to prevent aspiration.
Skin:	For skin contact, wipe away excess material with dry towel. Then wash affected areas with plenty of water, and mild soap if available, for several minutes. Get medical attention if irritation occurs.
Inhalation:	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Eyes:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.
Notes to Physician:	Treatment based on sound judgment of physician and individual reactions of patient.



A division of:  
**ORDAN THERMAL PRODUCTS LTD.**  
Oven, Proofer & Cooler Chain Synthetic Lubricants  
21 Amber St # 9, Markham, Ontario, L3R 4Z3 Canada  
Tel: (905) 475-9292 Fax: (905) 475-3286  
[www.OrdanThermal.com](http://www.OrdanThermal.com)

**5. FIRE FIGHTING MEASURES**

Flash Point: > 326°C

Method: COC

Flammable Limits in Air - Upper (%): Maximum % by volume of vapor in air above which propagation of flame does not occur on contact with a source of ignition: N/D

Sensitivity to Mechanical Impact (Y/N): NO

Sensitivity to Static Discharge (Y/N): Sensitivity to static discharge is not expected.

Extinguishing Media: Water fog, carbon dioxide, foam, dry chemical

Special Firefighting Procedures: Containers can build up pressure if exposed to heat (fire). Fire involving large amounts of material should not be approached because individual containers may rupture abruptly causing "fireball" effect. Fire fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. Use water spray to cool nearby containers and structures exposed to fire.

**6. ACCIDENTAL RELEASE MEASURES**

Action to be taken if material is released or spilled: Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section. Large quantity spills should be contained and pumped into drums for recovery or disposal.

**7. HANDLING AND STORAGE**

Precautions to be taken in handling and storage: Keep container closed when not in use. Good hygienic practices should be observed. Work clothes should be washed separately at the end of each workday. Disposable clothing should be discarded with material.

NFPA		HMIS	
Health	1	Health	1
Flammability	1	Flammability	1
Reactivity	0	Reactivity	0
Other	N/A	Other	B



**A division of:**  
**ORDAN THERMAL PRODUCTS LTD.**  
 Oven, Proofer & Cooler Chain Synthetic Lubricants  
 21 Amber St # 9, Markham, Ontario, L3R 4Z3 Canada  
 Tel: (905) 475-9292 Fax: (905) 475-3286  
[www.OrdanThermal.com](http://www.OrdanThermal.com)

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: None required under normal conditions.

### Personal Protection Equipment

Respiratory Protection: None required under normal conditions.  
 Protective Gloves: Use gloves as a standard industrial handling procedure.  
 Eye and Face Protection: Wear safety glasses or goggles to protect against exposure. Other Protective Equipment: None Required  
 Ventilation: No unusual ventilation required.

### Exposure Limits

Chemical Name	CAS	ACGIH TLV-TWA	ACGIH TLV-STEL	OSHA PEL-TWA	OSHA PEL-STEL	Units
Polyol Ester and Additives	Proprietary	None	None	None	None	ppm

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: N/A  
 Vapor Pressure: N/D  
 Vapor Density (Air = 1): N/D  
 Freezing Point: N/D  
 Melting Point: < 25°C  
 Physical State: Liquid  
 Odor: MILD  
 Color: Straw to Amber  
 Odor Threshold (ppm): N/A  
 Evaporation Rate (Butyl acetate = 1): N/D  
 Pounds / Gallon (Water = 8.3): 8.35 @ 25°C  
 Density @ 25°C (Water = 1): 1.0  
 Acid / Alkalinity (MEQ/G): N/D  
 pH: N/D  
 VOC (EPA Meth.24) (g/L): N/D  
 Solubility in Water (20°C): INSOLUBLE  
 Solubility in Organic Solvents: N/D  
 Viscosity: 220 cSt @ 40°C



**A division of:**  
**ORDAN THERMAL PRODUCTS LTD.**  
 Oven, Proofer & Cooler Chain Synthetic Lubricants  
 21 Amber St # 9, Markham, Ontario, L3R 4Z3 Canada  
 Tel: (905) 475-9292 Fax: (905) 475-3286  
[www.OrdanThermal.com](http://www.OrdanThermal.com)

## 10. STABILITY AND REACTIVITY

Stability:	STABLE
Hazardous Polymerization:	WILL NOT OCCUR
Hazardous Thermal Decomposition / Combustion Products:	No unusual decomposition products known
Incompatibility (Materials to Avoid):	None known
Conditions to Avoid:	None known

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Oral LD50 (mg/kg):	Unknown
Dermal LD50 (mg/kg):	Unknown
Inhalation LC50 (mg/L):	Unknown
AMES Test:	Unknown

## 12. ECOLOGICAL INFORMATION

Ecotoxicological Information:	No data at this time
Chemical Fate Information:	No data at this time.

## 13. DISPOSAL CONSIDERATIONS

Disposal Method:	As local regulations may vary, all waste must be disposed / recycled / reclaimed in accordance with federal, state, and local environmental control regulations.
------------------	--

## 14. TRANSPORT INFORMATION

### Department of Transportation Information

Shipping Name:	Non-Regulated
Hazard Class:	Non-Regulated
Label(s):	NONE
UN/NA Number:	NONE
Classified:	NONE

### International Transportation Classifications

RID, European Railroad Hazard Class:	Not
Available IATA, International Air Transportation:	Not
Available IMDG, International Maritime Dangerous Goods:	NONE



*A division of:*  
**ORDAN THERMAL PRODUCTS LTD.**  
Oven, Proofer & Cooler Chain Synthetic Lubricants  
21 Amber St # 9, Markham, Ontario, L3R 4Z3 Canada  
Tel: (905) 475-9292 Fax: (905) 475-3286  
[www.OrdanThermal.com](http://www.OrdanThermal.com)

## 15. REGULATORY INFORMATION

### National Regulatory Status

TSCA Inventory Status:	All components of this product are listed on the TSCA Inventory.
SARA Section 302:	None Found
SARA (311, 312) Hazard Class:	NONE
SARA (313) Chemicals:	THIS PRODUCT DOES NOT CONTAIN A TOXIC CHEMICAL FOR ROUTINE ANNUAL 'TOXIC CHEMICAL RELEASE REPORTING' UNDER SECTION 313 (40 CFR 372)
CERCLA Hazardous Substance:	Not a listed EHS
CERCLA Reportable Quantity:	No listed reportable quantity
California Proposition 65:	NONE

### International Regulatory Status

Canadian (DSL) Inventory	Status: Listed on NDSL
WHMIS Hazard Class:	Not Available
WHMIS Trade Secret:	None

### Export

SCHDLE B/HTSUS:	
(Tariff Classification #):	Not Available
ECCN	
(Export Commodity Control Number):	Not Available
EINECS Inventory Status:	Listed on EINECS

### EC Labeling Requirements

EC Required Symbol(s):	None Required
EC Safety Phrases:	Not Available
EC Risk Phrases:	Not Available
Korean (ECL) Inventory Status:	Listed on ECL
Japanese (MITI) Inventory Status:	Not Available
Australian (AICS) Inventory Status:	Listed on AICS
Philippines (PICCS) Inventory Status:	All components are listed on
PICCS. Chinese Chemical Inventory Status:	Not Available



*A division of:*  
**ORDAN THERMAL PRODUCTS LTD.**  
Oven, Proofer & Cooler Chain Synthetic Lubricants  
21 Amber St # 9, Markham, Ontario, L3R 4Z3 Canada  
Tel: (905) 475-9292 Fax: (905) 475-3286  
[www.OrdanThermal.com](http://www.OrdanThermal.com)

## 16. OTHER INFORMATION

### FOR ADDITIONAL INFORMATION CONTACT:

Ordan Thermal Products Ltd.  
21 Amber Street Unit 9, Markham, Ontario, L3R 4Z3  
Phone: (905) 475-9292 Fax: (905) 475-3286  
info@ordanthermal.com

INFORMATION GIVEN HEREIN IS OFFERED IN GOOD FAITH AS ACCURATE, BUT WITHOUT GUARANTEE. CONDITIONS OF USE AND SUITABILITY OF THE PRODUCT FOR PARTICULAR USES ARE BEYOND OUR CONTROL; ALL RISKS OF USE OF THE PRODUCT ARE THEREFORE ASSUMED BY THE USER AND WE EXPRESSLY DISCLAIM ALL WARRANTIES OF EVERY KIND AND NATURE, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE IN RESPECT TO THE USE OR SUITABILITY OF THE PRODUCT. NOTHING IS INTENDED AS A RECOMMENDATION FOR USES WHICH INFRINGE VALID PATENTS OR AS EXTENDING LICENSE UNDER VALID PATENTS. APPROPRIATE WARNINGS AND SAFE HANDLING PROCEDURES SHOULD BE PROVIDED TO HANDLERS AND USERS.

## 17. HAZARD ASSESSMENT

Hazard Assessment Information: None  
Same as Another Existing Product: N/A  
Other Information: None



A division of:  
**ORDAN THERMAL PRODUCTS LTD.**  
Oven, Proofer & Cooler Chain Synthetic Lubricants  
21 Amber St # 9, Markham, Ontario, L3R 4Z3 Canada  
Tel: (905) 475-9292 Fax: (905) 475-3286  
[www.OrdanThermal.com](http://www.OrdanThermal.com)